- 27. (Currently Amended) An arrangement for detecting or treating at least one of cardiac abnormalities and cardiac inconsistencies, comprising:
 - a fluid delivery system adapted to systemically structured to introduce a fluid to a target area of a heart of a subject, wherein a volume of the target area which receives the fluid is less than a volume of the heart, wherein the target area has a predetermined metabolism, and wherein the liquid is provided to be received only by those areas of the heart having a metabolism which is greater than or equal to the predetermined metabolism; and an energy source adapted to transmit energy to at least one portion of the
 - an energy source adapted to transmit energy to at least one portion of the target area.
- 28. (Previously Presented) The arrangement of claim 27, wherein the fluid is a compound.
- 29. (Previously Presented) The arrangement of claim 28, wherein the compound is a photodynamic compound.
- 30. (Previously Presented) The arrangement of claim 27, wherein the energy source is further adapted to transmit the energy to the entire target area.
- 31. (Previously Presented) The arrangement of claim 27, wherein the energy source is further adapted to transmit the energy to the entire heart.

- 32. (Previously Presented) The arrangement of claim 27, wherein the cardiac abnormality is a cardiac arrhythmia.
- 33. (Previously Presented) The arrangement of claim 27, wherein the energy transmitted to the at least one portion of the target area comprises light.
- 34. (Previously Presented) The arrangement of claim 27, wherein the target area comprises scar tissue.
- 35. (Canceled)
- 36. (Currently amended) The arrangement of claim 27, wherein the <u>fluid liquid</u> increases a sensitivity of the target area to energy such that the transmission of energy to the at least one portion of the target area damages at least one of a plurality of cells and a tissue within the target area.
- 37. (Currently amended) An arrangement for detecting or treating at least one of cardiac abnormalities and cardiac inconsistencies, comprising:

a fluid delivery system adapted structured to introduce a fluid to a target area within a heart of a subject, wherein a volume of the target area which receives the fluid is less than a volume of the heart, wherein the target area has a predetermined metabolism, wherein the liquid is provided to be received only by those areas of the heart having a metabolism which is greater than or equal to the predetermined metabolism, and wherein a location of the volume of the target area which receives the fluid is

provided at a distance from a location of an introduction of the fluid to a portion of the subject; and

an energy source adapted to transmit energy to at least one portion of the target area.

- 38. (Currently amended) The arrangement of claim 37, wherein the fluid delivery system is adapted to systemically introduces the fluid to the target area.
- 39. (Previously Presented) The arrangement of claim 37, wherein the fluid delivery system is adapted to locally introduce the fluid to the target area.
- 40. (Previously Presented) The arrangement of claim 39, wherein the fluid delivery system is further adapted to locally introduce the fluid to the target area via a coronary vessel.
- 41. (Previously Presented) The arrangement of claim 37, wherein the fluid is a compound.
- 42. (Previously Presented) The arrangement of claim 41, wherein the compound is a photodynamic compound.
- 43. (Previously Presented) The arrangement of claim 37, wherein the energy source is further adapted to transmit the energy to the entire target area.
- 44. (Previously Presented) The arrangement of claim 43, wherein the energy source is further adapted to determine a location of the target area based on at least one

- predetermined criteria associated with the heart prior to transmitting the energy to the entire target area.
- 45. (Previously Presented) The arrangement of claim 44, wherein the at least one predetermined criteria comprises electrical activity within the heart.
- 46. (Previously Presented) The arrangement of claim 37, wherein the energy source is further adapted to transmit the energy to the entire heart.
- 47. (Previously Presented) The arrangement of claim 46, wherein the energy is transmitted to the entire heart without determining a location of the target area.
- 48. (Previously Presented) The arrangement of claim 37, wherein the cardiac abnormality is a cardiac arrhythmia.
- 49. (Previously Presented) The arrangement of claim 37; wherein the energy transmitted to the at least one portion of the target area comprises light.
- 50. (Previously Presented) The arrangement of claim 37, wherein the target area comprises scar tissue.
- 51. (Canceled)
- 52. (Currently amended) The arrangement of claim 37, wherein the <u>fluid liquid</u> increases a sensitivity of the target area to energy such the transmission of energy to the at least one portion of the target area damages at least one of a plurality of cells and a tissue within the target area.

53. (New) The arrangement of claim 27, wherein the fluid delivery system systemically introduces the fluid to the target area